

Urban Morphological Zones 1990 (vector) - version 16, Jun. 2013

An urban morphological zone (UMZ) is defined as a "set of urban areas laying less than 200 m apart". This layer contains UMZ delineations for Europe, based on Corine Land Cover database. During 2012, the UMZ methodology was updated in order to correct errors derived for the water course as join elements between urban areas. Previous version applied over CLC v15 (and previous version) joined many small urban areas due to the water presence. This fact was erroneous from the landscape and urban perspective as most of those areas remain as urban-rural typologies. Moreover, water courses cannot be considered as roads from the urban morphological view (either from the commuting point of understanding). This new version, known as v16, corrected this effect in the majority of cases.

Simple

Date (Creation)	2013-06-28				
Edition	16				
Citation identifier	eea_v_3035_100_k_umz-1990_p_2013_v16_r00				
Citation identifier	DAT-64-en				
Point of contact	Organisation name	Individual name	Electronic mail address		Role
	European Environment Agency		sdi@eea. europa.eu		Custodian
	European Environment Agency		sdi@eea. europa.eu	http://www. eea. europa.eu	Point of contact
Maintenance and update frequency	As needed				
Place	Austria				
	Belgium				
	Bulgaria				
	Croatia				
	Czechia				
	Denmark				
	Estonia				
	France				
	Germany				
	Greece				
	Hungary				
	Ireland				
	• Italy				
	Latvia				
	Lithuania				
	Luxembourg				
	Montenegro				
	Netherlands				
	Poland				

	Portugal
	Romania
	Serbia
	Slovakia
	Slovenia
	Spain
	• Türkiye
Keywords	
Keywords	
GEMET - INSPIRE themes, version 1.0	Land cover
	household
GEMET	urban environment, urban stress
	social aspects, population
	environmental report
	• economy
EEA Management Plan	• 2014 1.8.3
	Buildings and construction
EEA topics	Land use
	Environmental health impacts
	Urban sustainability
	• Water
Use limitation	EEA standard re-use policy: unless otherwise indicated, re-use of content on the EEA website for commercial or non-commercial purposes is permitted free of charge, provided that the source is acknowledged (http://www.eea.europa.eu/legal/copyright).
Access constraints	Other restrictions
Other constraints	no limitations to public access
Spatial representation type	Vector
Denominator	100000
Language of dataset	English
Character set	UTF8
Topic category	Planning cadastre Society
Begin date	1990-01-01
End date	1990-12-31





Coordinate reference system identifier	EPSG:3035		
Distribution format	• SHP ()		
	• SQLite ()		
Transfer size	112		
OnLine resource	Protocol	Linkage	Name
	EEA:FILEPATH	https://sdi.eea.europa.eu/webdav/datastore/public /eea v 3035 100 k umz-1990 p 2013 v16 r00/	
	WWW:URL	https://sdi.eea.europa.eu/data/96750fc4-7ecc-438e-a8ce-bf045e5780ea	Direct download
Hierarchy level	Dataset		

Conformance result

Date (Publication)	2010-12-08
Explanation	See the referenced specification

Statement

An Urban Morphological Zone can be defined as "A set of urban areas laying less than

200m apart". Those urban areas are defined from land cover classes contributing to the urban tissue and function.

The Corine Land Cover classes (Figure 1) used to build the Urban Morphological Zone dataset are the following ones:


- Core Classes
- o 111 Continuous urban fabric
- o 112 Discontinuous urban fabric
- o 121 Industrial or commercial units
- o 141 Green urban areas
- Enlarged core classes, CLC Classes 123 (Port areas), 124 (Airports) and 142 (Sport and leisure facilities), are also considered if they are neighbours to the core classes or to one of them touching the core classes.
- Road and rail networks, CLC class 122 when neighbours to the enlarged core classes, roads and rails will be included (cut by 300m buffer) as part of the UMZ due to their artificial nature and connectivity properties.
- Water courses, CLC class 511, when neighbours to the enlarged core classes and acting as a link between them, they are selected by this fact.
- $\bullet \ \, \text{Forests \& scrub, CLC classes 311,312,313,322,323,324, when they are completely within the core classes. }$

The complete methodology is described in the document RpD_UMZ_Methodology_f3.0.pdf which is stored in the same folder as the dataset.

Metadata

File identifier	96750fc4-7ecc-438e-a8ce-bf045e5780ea XML			
Metadata language	English			
Character set	UTF8			
Hierarchy level	Dataset			
Date stamp	2023-06-13T07:23:57.327Z			
Metadata standard name	ISO 19115/19139			
Metadata standard version	1.0			
Metadata author	Organisation name	Individual name	Electronic mail address	Website Role
	European Environment Agency		sdi@eea. europa.eu	Point of contact

Overviews



Provided by

