

EUNIS Inland habitats with no or little soil and mostly with sparse vegetation, predicted distribution of habitat suitability - version 1, Nov. 2021

This metadata corresponds to the EUNIS Inland habitats with no or little soil and mostly with sparse vegetation, predicted distribution of habitat suitability dataset.

These habitat types are non-coastal habitats on substrates with no or little development of soil, mostly with less than 30% vegetation cover which are dry or only seasonally wet (with the water table at or above ground level for less than half of the year). Habitats which may have a high vegetation cover include crevices of rocks, screes or cliffs and habitats formed by carpets of moss. Includes subterranean non-marine caves and passages including underground waters and disused underground mines and habitats characterised by the presence of permanent snow and surface ice other than marine ice bodies.

The modelled suitability for EUNIS inland habitats with no or little soil and mostly with sparse vegetation, is an indication of where conditions are favourable for the habitat type based on sample plot data (Braun-Blanquet database) and the Maxent software package. The modelled suitability map may be used as a proxy for the geographical distribution of the habitat type. However, note that it is not representing the actual distribution of the habitat type. As predictors for the suitability modelling not only Climate and Soil parameters have been taken into account, but also so-called RS-EVB's, Remote Sensing-enabled Essential Biodiversity Variables like Landuse, Vegetation height, Phenology, LAI(Leave Area Index) and Population density. Because the EBV's are restricted by the extent of the Remote Sensing data (EEA38 countries and the United Kingdom) the modelling result does also not go beyond this boundary. The dataset is provided both in Geodatabase and Geopackage formats.

The Training map files show the modelled suitable distribution, omitting the 10% of occurrence records in the least suitable environment under the assumption that they are not representative of the overall suitable habitat distribution. The 10 percentile training presence is an arbitrary threshold which omits all regions with habitat suitability lower than the suitability values for the lowest 10% of occurrence records.

Simple

Date (Publication)	2021-11-15																		
Date (Creation)	2019-03-01																		
Edition	01.00																		
Citation identifier	eea_r_3035_1_km_eunis-hab-u_p_1940-2017_v01_r00																		
Citation identifier	DAT-137-en																		
Point of contact	<table><thead><tr><th>Organisation name</th><th>Individual name</th><th>Electronic mail address</th><th>Website</th><th>Role</th></tr></thead><tbody><tr><td>European Environment Agency</td><td></td><td>sdi@eea.europa.eu</td><td>http://www.eea.europa.eu</td><td>Point of contact</td></tr><tr><td>European Environment Agency</td><td></td><td>sdi@eea.europa.eu</td><td></td><td>Custodian</td></tr></tbody></table>				Organisation name	Individual name	Electronic mail address	Website	Role	European Environment Agency		sdi@eea.europa.eu	http://www.eea.europa.eu	Point of contact	European Environment Agency		sdi@eea.europa.eu		Custodian
Organisation name	Individual name	Electronic mail address	Website	Role															
European Environment Agency		sdi@eea.europa.eu	http://www.eea.europa.eu	Point of contact															
European Environment Agency		sdi@eea.europa.eu		Custodian															

Point of contact

No information provided.

Maintenance and update frequency	Not planned
GEMET - INSPIRE themes, version 1.0	<ul style="list-style-type: none"> Habitats and biotopes
Keywords	
Keywords	
GEMET	<ul style="list-style-type: none"> modelling terrestrial ecosystem habitat

	<ul style="list-style-type: none"> natural area
Continents, countries, sea regions of the world.	<ul style="list-style-type: none"> United Kingdom EEA38 (from 2020)
Spatial scope	<ul style="list-style-type: none"> European
EEA topics	<ul style="list-style-type: none"> Biodiversity
EEA Management Plan	<ul style="list-style-type: none"> 2021 1.1.4
Access constraints	Other restrictions
Other constraints	no limitations to public access
Use constraints	Other restrictions
Other constraints	EEA standard re-use policy: unless otherwise indicated, re-use of content on the EEA website for commercial or non-commercial purposes is permitted free of charge, provided that the source is acknowledged (https://www.eea.europa.eu/legal/copyright). Copyright holder: European Environment Agency (EEA).
Spatial representation type	Grid
Distance	1 km
Language of dataset	English
Topic category	<ul style="list-style-type: none"> Biota

	N		S		E		W
--	---	--	---	--	---	--	---



Begin date	1940-01-01		
End date	2017-12-31		
Coordinate reference system identifier	EPSG:3035		
Distribution format	<ul style="list-style-type: none"> • Geopackage () • GDB () 		
OnLine resource	Protocol EEA:FOLDERPATH WWW:URL ESRI:REST OGC:WMS	Linkage https://sdi.eea.europa.eu/webdav/datastore/public/eea_r_3035_1_km_eunis-hab-u_p_1940-2017_v01_r00/ https://sdi.eea.europa.eu/data/96b7f7df-3f79-4001-b489-1d918c813a62 https://bio.discomap.eea.europa.eu/arcgis/rest/services/EUNIS/Mosaic_Sparsely/ImageServer https://bio.discomap.eea.europa.eu/arcgis/services/EUNIS/Mosaic_Sparsely/ImageServer/WMSServer?request=GetCapabilities&service=WMS	Name Direct download Suitability Layer
Hierarchy level	Dataset		

Conformance result

Date (Publication)	2010-12-08
Explanation	See the referenced specification


Statement	<p>The database compiled for the Braun-Blanquet project is a compilation of various national and regional vegetation databases. The maintenance of these databases is in principle in the hands of the custodians. However, before uploading the databases into Braun-Blanquet database a quality check is performed by Alterra and Masaryk University. If possible, detected errors are corrected and reported back to the data provider. For the modelling of the habitat suitability map the Maxent software is used (http://www.cs.princeton.edu/~schapire/maxent/). The grid values in the map represent the probability (ranging from 0-1) that the cell is suitable for the habitat.</p> <p>The grid file represents the habitat suitability of the EUNIS type. For the modelling the widely used software Maxent for maximum entropy modelling of species' geographic distributions was used. Maxent is a general-purpose machine-learning method with a simple and precise mathematical formulation, and has a number of aspects that make it well-suited for species distribution modelling when only presence (occurrence) data but not absence data are available (Philips et al. 2006). Because EUNIS habitats have a particular species composition, they are assumed to respond to specific ecological requirements, allowing us to generate correlative estimates of geographic distributions. Modelling habitats that have been floristically defined is a well-known procedure for ecological modelling at local scales, and a promising technique to be applied also at the continental level.</p> <p>The Maxent method considers presence data (known observations of a given entity) and the so-called background data. Background data comprise a set of points used to describe the environmental variation of the study area according to the available environmental layers. It is assumed that these layers represent well the most important ecological gradients on a European scale. As layers the following environmental parameters have been used: Potential Evapotranspiration, Topsoil pH, Solar radiation, Temperature</p>
------------------	---

	<p>Seasonality (standard deviation *100), Mean Temperature of Wettest Quarter, Annual Precipitation, Precipitation Seasonality (Coefficient of Variation), Precipitation of Warmest Quarter & Distance to water (rivers, lakes, sea) and the RS-EBV's (Remote Sensing-enabled Essential Biodiversity Variables) Inundation; occurrence, Phenology; End of Season (day number), Phenology; Length of season (days), Phenology; Low of season (day number), Phenology; NDVI mean, Phenology; NDVI seasonality, Phenology; Peak of season (day number), Phenology; Start of Season (day number), Vegetation height (m); Population density.</p> <p>For more information on the RS-EBV's see https://www.synbiosys.alterra.nl/nextgeoss/docs/Description_Abiotic_and_RSEBVs.pdf .</p> <p>More information on the generation of the spatial files is provided in the documents available for download together with the dataset.</p>
Source	<ul style="list-style-type: none"> EUNIS Inland habitats with no or little soil and mostly with sparse vegetation, distribution based on vegetation plot data - version 1. Nov. 2021

Metadata

File identifier	96b7f7df-3f79-4001-b489-1d918c813a62 XML		
Metadata language	English		
Character set	UTF8		
Hierarchy level	Dataset		
Date stamp	2023-12-04T13:00:37.549Z		
Metadata standard name	ISO 19115/19139		
Metadata standard version	1.0		
Metadata author	<div> <div> <div>Organisation name</div> <div>European Environment Agency</div> </div> <div> <div>Individual name</div> </div> <div> <div>Electronic mail address</div> <div>sdi@eea.europa.eu</div> </div> <div> <div>Website Role</div> <div>Point of contact</div> </div> </div>		

Overviews



Provided by

