

Corine Land Cover 1990 seamless (vector) - series

This series references all versions of Corine Land Cover 1990 seamless vector starting with version 13.

With the help of CLC data it is possible to provide support for protecting ecosystems, halting the loss of biological diversity, tracking the impacts of climate change, assessing developments in agriculture and implementing the EU Water Framework Directive.

CLC data is an important data set for the implementation of key priority areas of the Sixth Environment Action Programme of the European Community. CLC data can show, for instance, where fragmentation of the landscape by roads and other infrastructure is worsening and thus increasing the risk that ecosystems can no longer connect with each other, putting the survival of their flora and fauna in danger. In the agricultural field CLC data can highlight where major structural changes are continuing or intensifying, such as the conversion of pasture to arable land, expansion or reduction in the area of fallow land and taken out of production ('set aside'), or the abandonment of farming altogether. CLC serve as input to the EC 'Inspire' (INfrastructure for SPatial InfoRmation in Europe - http://inspire.jrc.it) initiative. This initiative intends to trigger the creation of a European spatial information infrastructure that delivers to the Global Monitoring for Environment and Security (GMES http://gmes.info) initiative, run by the European Commission and the European Space Agency, to provide environmental information form a combination of air- and space-based observation systems and in-situ monitoring.

Simple

Citation identifier	eea_v_3035_100_k_clc_1990_series
Citation identifier	DAT-174-en
Maintenance and update frequency	Biannually
EEA topics	Land use
Use limitation	EEA standard re-use policy: unless otherwise indicated, re-use of content on the EEA website for commercial or non-commercial purposes is permitted free of charge, provided that the source is acknowledged (<u>http://www.eea.europa.eu/legal/copyright)</u> . Copyright holder: European Environment Agency (EEA).
Access constraints	Other restrictions
Other constraints	no limitations to public access
Aggregate Datasetindentifier	abf75ccc-f95e-4a0c-bca4-5049927584d5
Association Type	Is composed of
Aggregate Datasetindentifier	23a9d577-f875-4acf-8634-a77241a71176
Association Type	Is composed of
Aggregate Datasetindentifier	247db2ac-1881-41c9-b8e9-2a1fb4f98447
Association Type	Is composed of
Aggregate Datasetindentifier	8c2a3ded-9ccb-472d-99d2-30f11107b10c
Association Type	Is composed of
Aggregate Datasetindentifier	6f56f664-f28a-47c9-a711-6dd344618b6d
Association Type	Is composed of
CRS identifier	EPSG:3035

Distribution format	• GDB()
Hierarchy level	Dataset

Conformance result

Date (Publication)	2010-12-08	
Explanation	See the referenced specification	
Statement	Product is based on CLC databases provided by National Teams within CLC mapping related projects (I&CLC2000, CARDS, FTSP /CLC2006 update etc All features in original vector database were classified and digitised based on satellite images with 100 m positional accuracy (according to CLC specifications) and 25 ha minimum mapping unit (5ha MMU for changes) into the standardized CLC nomenclature (44 CLC classes). LCEUGRIDS represent the final product of European CLC data integration. The process of data integration started when national CLC deliveries have been accepted. Delivered national data were produced in local national systems of all participating countries. Each national Coordinate Reference System (CRS) definition had to be known precisely together with its geometric relationship to a standard system in order to accurately transfer all national data into a standard coordinate reference (LAEA5210/ETRS89) for European wide geographic data. Mostly, the process itself was carried out by global equation-based transformation to ETRS89 (e.g. seven-parameters Bursa-Wolf methods). The accuracy of a particular transformation ranges from centimetres to meters depending on the method and the quality and number of control points available to define the transformation parameters, but, in any case, the accuracy is far above the actual CLC2000 data resolution (for more details see DBTA reports for particular country). Due to large data volume, national data, when transformed into the common European reference, are rasterized. The resolution of the data is 100 x 100 and 250 x 250 metres (change grids 100 x 100 metres).	

Metadata

File identifier	9eff47ae-a31b-479e-9069-d1ac3d52e293 XML
Metadata language	English
Character set	UTF8
Hierarchy level	Series
Hierarchy level name	series
Hierarchy level name	series
Hierarchy level name	Series
Date stamp	2023-08-04T07:12:41.559Z
Metadata standard name	ISO 19115/19139
Metadata standard version	1.0

Overviews

Provided by

