

Imperviousness Density 2012 (raster 20 m), Europe, 3-yearly, Apr. 2018

The high resolution imperviousness products capture the percentage and change of soil sealing. Built-up areas are characterized by the substitution of the original (semi-) natural land cover or water surface with an artificial, often impervious cover. These artificial surfaces are usually maintained over long periods of time. A series of high resolution imperviousness datasets (for the 2006, 2009, 2012, 2015 and 2018 reference years) with all artificially sealed areas was produced using automatic derivation based on calibrated Normalized Difference Vegetation Index (NDVI). This series of imperviousness layers constitutes the main status layers. They are per-pixel estimates of impermeable cover of soil (soil sealing) and are mapped as the degree of imperviousness (0-100%). Imperviousness change layers were produced as a difference between the reference years (2006-2009, 2009-2012, 2012-2015, 2015-2018 and additionally 2006-2012, to fully match the CORINE Land Cover production cycle) and are presented 1) as degree of imperviousness change (-100% -- +100%), in 20m and 100m pixel size, and 2) a classified (categorical) 20m change product.

Simple

copernicus_r_3035_20_m_imd-2012_p_2011-2013_v03_r00					
DAT-14-en					
10.2909/4023528f-430d-402b-be16-91b6a6487be6					
Role					
d. Distributor					
d. Custodian					
. Point of					
is is					

Point of contact

No information provided.

Maintenance and update frequency	Continual
GEMET - INSPIRE themes, version 1.0	Land cover
Keywords	
Continents, countries, sea regions of the world.	• EEA39
Keywords	
•	• land use
GEMET	landscape alteration
	• land cover
	built environment sealing
	soil surface sealing

	urban area				
Spatial scope	European				
EEA Management Plan	• 2018 3.6.1				
EEA topics	Buildings and construction				
•	Land use				
	• Soil				
Jse limitation	Access to data is based on a principle of full, open and free access as established by the Copernicus data and information policy Regulation (EU) No 1159/2013 of 12 July 2013. This regulation establishes registration and licensing conditions for GMES/Copernicus users.				
	Free, full and open access to this data set is made on the conditions that:				
	When distributing or communicating Copernicus dedicated data and Copernicus service information to the public, users shall inform the public of the source of that data and information.				
	2. Users shall make sure not to convey the impression to the public that the user's activities are officially endorsed by the Union.				
	3. Where that data or information has been adapted or modified, the user shall clearly state this.				
	4. The data remain the sole property of the European Union. Any information and data produced in the framework of the action shall be the sole property of the European Union. Any communication and publication by the beneficiary shall acknowledge that the data were produced "with funding by the European Union".				
Access constraints	Other restrictions				
Other constraints	no limitations to public access				
Spatial representation type	Grid				
Distance	20 m				
anguage of dataset	English				
Character set	UTF8				
Fopic category	Environment Imagery base maps earth cover				
Begin date	2011-01-01				
End date	2013-12-31				

N S E W



N S E W



File identifier

Metadata language

Coordinate reference system identifier	EPSG:3035		
Distribution format	• GeoTIFF (1.0)		
OnLine resource	Protocol WWW:LINK-1.0-httplink	Linkage https://land.copernicus.eu/en/products/high-resolution-	Name Download
		layer-imperviousness/imperviousness-density- 2012#Download	(requires authentication
OnLine resource	Protocol	Linkage	Name
	DOI	https://doi.org/10.2909/4023528f-430d-402b-be16- 91b6a6487be6	
Hierarchy level	Dataset		
Conformance result	•		
Date (Publication)	2010-12-08		
Explanation	See the referenced specification		
Statement	checks (QA breakpoints) during implement production, assure fitness-for-purpose of target thematic accuracies to be achieved	andards for Quality Management and comprises of dedicated procedures on tation of the production chain, in order to keep persistent control over the value of the products and that all quality requirements are fulfilled. Priority has been been product, as well as to the issues of product consistency (spatial, the quality assessment has been performed according to INSPIRE Data Spatial).	rarious stages of been given to the nematic, temporal)
	(i) Completeness,		
	(ii) Logical Consistency,		
	(iii) Thematic Accuracy,		
	(iv) Temporal quality and		
	(v) Usability.		
	Each of them (excl. the Thematic Accuracy	cy hereafter) forms a section in the QA/QC Procedures.	
Metadata	•		

4023528f-430d-402b-be16-91b6a6487be6 XML

English

Character set	UTF8				
Hierarchy level	Dataset				
Date stamp	2024-02-06T16:46:11.278Z				
Metadata standard name	ISO 19115/19139				
Metadata standard version	1.0				
Metadata author	Organisation name	Individual name	Electronic mail address	Website	Role
	European Environment Agency		sdi@eea. europa.eu		Point of contact

Overviews



Provided by

