

# Imperviousness Classified Change 2009-2012 (raster 20 m), Europe, 3-yearly, Apr. 2018

The high resolution imperviousness products capture the percentage and change of soil sealing. Built-up areas are characterized by the substitution of the original (semi-) natural land cover or water surface with an artificial, often impervious cover. These artificial surfaces are usually maintained over long periods of time. A series of high resolution imperviousness datasets (for the 2006, 2009, 2012 and 2015 reference years) with all artificially sealed areas was produced using automatic derivation based on calibrated Normalized Difference Vegetation Index (NDVI). This series of imperviousness layers constitutes the main status layers. They are per-pixel estimates of impermeable cover of soil (soil sealing) and are mapped as the degree of imperviousness (0-100%). Imperviousness change layers were produced as a difference between the reference years (2006-2009, 2009-2012, 2012-2015 and additionally 2006-2012, to fully match the CORINE Land Cover production cycle) and are presented 1) as degree of imperviousness change (-100% -- +100%), in 20m and 100m pixel size, and 2) a classified (categorical) 20m change product.

### Simple

Date (Creation)	2018-04-30				
Date (Publication)	2018-04-30				
Edition	03.00				
Citation identifier	copernicus_r_3035_20_m_imcc-2009-2012_p_2008-2013_v03_r00				
Citation identifier	DAT-14-en				
Code	10.2909/bb32d49d-71ce-4a89-884a-e7e6fb118333				
Point of contact	Organisation name	Individual name	Electronic mail address	Website	Role
	European Environment Agency		copernicus@eea. europa.eu	https://land. copernicus. eu	Distributor
	European Environment Agency		copernicus@eea. europa.eu	https://land. copernicus. eu	Custodian
	European Environment Agency		copernicus@eea. europa.eu	https://land. copernicus. eu	

#### Point of contact

No information provided.

Maintenance and update frequency	Continual
GEMET - INSPIRE themes, version 1.0	Land cover
Keywords	
Continents, countries, sea regions of the world.	• EEA39
Keywords	
·	• land cover
GEMET	• sealing
	landscape alteration
	urban area      soil surface sealing
	built environment

	• land use			
Spatial scope	• European			
EEA Management Plan	• 2018 3.6.1			
EEA topics	<ul><li>Land use</li><li>Buildings and construction</li><li>Soil</li></ul>			
Access constraints	Other restrictions			
Other constraints	no limitations to public access			
Use constraints	Other restrictions			
Other constraints	Access to data is based on a principle of full, open and free access as established by the Copernicus data and information policy Regulation (EU) No 1159/2013 of 12 July 2013. This regulation establishes registration and licensing conditions for GMES/Copernicus users.			
	Free, full and open access to this data set is made on the conditions that:			
	When distributing or communicating Copernicus dedicated data and Copernicus service information to the public, users shall inform the public of the source of that data and information.			
	2. Users shall make sure not to convey the impression to the public that the user's activities are officially endorsed by the Union.			
	3. Where that data or information has been adapted or modified, the user shall clearly state this.			
	4. The data remain the sole property of the European Union. Any information and data produced in the framework of the action shall be the sole property of the European Union. Any communication and publication by the beneficiary shall acknowledge that the data were produced "with funding by the European Union".			
Spatial representation type	Grid			
Distance	20 m			
anguage of dataset	English			
Character set	UTF8			
opic category	Environment     Imagery base maps earth cover			
Begin date	2008-01-01			
End date	2013-12-31			

N S E W



N S E W



Coordinate reference system identifier	EPSG:3035					
Distribution format	• GeoTIFF (1.0)					
OnLine resource	Protocol	Protocol Linkage Name				
	WWW:LINK-1.0-httplink	https://land.copernicus.eu/en/products/high-resolution-layer- imperviousness/imperviousness-classified-change-2009- 2012#Download	Download (requires authentication			
	OGC:WMS	https://image.discomap.eea.europa.eu/arcgis/services /GioLandPublic/HRL ImperviousnessClassifiedChange 09 12 /MapServer/WMSServer? request=GetCapabilities&service=WMS	2			
	ESRI:REST	https://image.discomap.eea.europa.eu/arcgis/rest/services /GioLandPublic/HRL ImperviousnessClassifiedChange 09 12 /MapServer	2			
OnLine resource	Protocol	Linkage	Nam			
	DOI	https://doi.org/10.2909/bb32d49d-71ce-4a89-884a- e7e6fb118333				
lierarchy level	Dataset					
·	Dataset					
Conformance result	Dataset 2010-12-08					
Conformance result  Date (Publication)						
Conformance result  Date (Publication)  Explanation	2010-12-08  See the referenced specification  Quality assurance follows the ISO9000 st checks (QA breakpoints) during implement production, assure fitness-for-purpose of target thematic accuracies to be achieved.	andards for Quality Management and comprises of dedicated procedures of ontation of the production chain, in order to keep persistent control over the various the end-products and that all quality requirements are fulfilled. Priority has been by each product, as well as to the issues of product consistency (spatial, then the quality assessment has been performed according to INSPIRE Data Speci	ous stages of en given to the matic, temporal			
Conformance result  Date (Publication)  Explanation	2010-12-08  See the referenced specification  Quality assurance follows the ISO9000 st checks (QA breakpoints) during implement production, assure fitness-for-purpose of target thematic accuracies to be achieved and homogeneity. Quality Assessment: T	randards for Quality Management and comprises of dedicated procedures of ontation of the production chain, in order to keep persistent control over the varithe end-products and that all quality requirements are fulfilled. Priority has been by each product, as well as to the issues of product consistency (spatial, the	ous stages of en given to the matic, temporal			
Hierarchy level  Conformance result  Date (Publication)  Explanation  Statement	2010-12-08  See the referenced specification  Quality assurance follows the ISO9000 st checks (QA breakpoints) during implement production, assure fitness-for-purpose of target thematic accuracies to be achieved and homogeneity. Quality Assessment: T data quality elements considered are:	randards for Quality Management and comprises of dedicated procedures of ontation of the production chain, in order to keep persistent control over the varithe end-products and that all quality requirements are fulfilled. Priority has been by each product, as well as to the issues of product consistency (spatial, the	ous stages of en given to the matic, tempora			

Each of them (excl. the Thematic Accuracy hereafter) forms a section in the QA/QC Procedures.

(iv) Temporal quality and

(v) Usability.

Source	Imperviousness Change 2009-2012 (raster 20 m)	, Europe, 3-yearly, Apr. 2018		
Metadata				
File identifier	bb32d49d-71ce-4a89-884a-e7e6fb118333 XML			
Metadata language	English			
Character set	UTF8			
Hierarchy level	Dataset			
Date stamp	2024-02-06T16:47:05.975Z			
Metadata standard name	ISO 19115/19139			
Metadata standard version	1.0			
Metadata author			Electronic	
	Organisation name	Individual name	mail address	Website Role
	European Environment Agency		sdi@eea. europa.eu	Point of contact

contact

### Overviews



# Provided by

