

Imperviousness Density 2009 (raster 100 m), Europe, 3-yearly, Apr. 2018

The high resolution imperviousness products capture the percentage and change of soil sealing. Built-up areas are characterized by the substitution of the original (semi-) natural land cover or water surface with an artificial, often impervious cover. These artificial surfaces are usually maintained over long periods of time. A series of high resolution imperviousness datasets (for the 2006, 2009, 2012, 2015 and 2018 reference years) with all artificially sealed areas was produced using automatic derivation based on calibrated Normalized Difference Vegetation Index (NDVI). This series of imperviousness layers constitutes the main status layers. They are per-pixel estimates of impermeable cover of soil (soil sealing) and are mapped as the degree of imperviousness (0-100%). Imperviousness change layers were produced as a difference between the reference years (2006-2009, 2009-2012, 2012-2015, 2015-2018 and additionally 2006-2012, to fully match the CORINE Land Cover production cycle) and are presented 1) as degree of imperviousness change (-100% -- +100%), in 20m and 100m pixel size, and 2) a classified (categorical) 20m change product.

Simple

Date (Creation)	2018-04-06				
Date (Publication)	2018-04-06				
Edition	03.00				
Citation identifier	copernicus_r_3035_100_m_imd-2009_p_200	8-2010_v03_r00			
Citation identifier	DAT-14-en				
Code	10.2909/bd1c6abc-a413-489a-91c7-e2690e01ff0e				
Point of contact	Organisation name	Individual name	Electronic mail address	Website	Role
	European Environment Agency		copernicus@eea.	https://land. copernicus. eu	
	European Environment Agency		copernicus@eea. europa.eu	https://land. copernicus. eu	
	European Environment Agency		copernicus@eea. europa.eu	https://land. copernicus. eu	

Point of contact

No information provided.

Maintenance and update frequency	Continual
GEMET - INSPIRE themes, version 1.0	Land cover
Keywords	
Continents, countries, sea regions of the world.	• EEA39
Keywords	
	soil surface sealing
GEMET	land cover
	• urban area
	built environment land use
	landscape alteration

	• sealing		
Spatial scope	• European		
EEA Management Plan	• 2018 3.6.1		
EEA topics	Buildings and constructionLand useSoil		
Access constraints	Other restrictions		
Other constraints	no limitations to public access		
Jse constraints	Other restrictions		
Other constraints	Access to data is based on a principle of full, open and free access as established by the Copernicus data and information policy Regulation (EU) No 1159/2013 of 12 July 2013. This regulation establishes registration and licensing conditions for GMES/Copernicus users.		
	Free, full and open access to this data set is made on the conditions that:		
	When distributing or communicating Copernicus dedicated data and Copernicus service information to the public, users shall inform the public of the source of that data and information.		
	2. Users shall make sure not to convey the impression to the public that the user's activities are officially endorsed by the Union.		
	3. Where that data or information has been adapted or modified, the user shall clearly state this.		
	4. The data remain the sole property of the European Union. Any information and data produced in the framework of the action shall be the sole property of the European Union. Any communication and publication by the beneficiary shall acknowledge that the data were produced "with funding by the European Union".		
Spatial representation type	Grid		
Distance	100 m		
anguage of dataset	English		
Character set	UTF8		
opic category	Environment Imagery base maps earth cover		
Begin date	2008-01-01		
End date	2010-12-31		

N S E W



N S E W

(v) Usability.



Coordinate reference system identifier	EPSG:3035		
Distribution format	• GeoTIFF (1.0)		
OnLine resource	Protocol	Linkage	Name
	OGC:WMS	https://image.discomap.eea.europa.eu/arcgis/services /GioLandPublic/HRL_ImperviousnessDensity_2009 /MapServer/WMSServer? request=GetCapabilities&service=WMS	0
	ESRI:REST	https://image.discomap.eea.europa.eu/arcgis/rest/services /GioLandPublic/HRL_ImperviousnessDensity_2009 /MapServer	
	WWW:LINK-1.0-httplink	https://land.copernicus.eu/en/products/high-resolution-layer-imperviousness/imperviousness-density-2009#Download	Download (requires authentication
OnLine resource	Protocol	Linkage	Name
	DOI	https://doi.org/10.2909/bd1c6abc-a413-489a-91c7- e2690e01ff0e	
Hierarchy level	Dataset		
Conformance result	I		
	2010-12-08		
Date (Publication)	2010-12-08 See the referenced specification		
Date (Publication) Explanation	Quality assurance follows the ISO9000 st checks (QA breakpoints) during implemer production, assure fitness-for-purpose of target thematic accuracies to be achieved	andards for Quality Management and comprises of dedicated procedures of o ntation of the production chain, in order to keep persistent control over the varithe end-products and that all quality requirements are fulfilled. Priority has beel by each product, as well as to the issues of product consistency (spatial, ther he quality assessment has been performed according to INSPIRE Data Speci	ous stages of en given to the matic, temporal
Date (Publication) Explanation	See the referenced specification Quality assurance follows the ISO9000 st checks (QA breakpoints) during implemer production, assure fitness-for-purpose of target thematic accuracies to be achieved and homogeneity. Quality Assessment: Ti	ntation of the production chain, in order to keep persistent control over the vari the end-products and that all quality requirements are fulfilled. Priority has bee by each product, as well as to the issues of product consistency (spatial, ther	ous stages of en given to the matic, temporal
Date (Publication) Explanation	See the referenced specification Quality assurance follows the ISO9000 st checks (QA breakpoints) during implemer production, assure fitness-for-purpose of target thematic accuracies to be achieved and homogeneity. Quality Assessment: Ti data quality elements considered are:	ntation of the production chain, in order to keep persistent control over the vari the end-products and that all quality requirements are fulfilled. Priority has bee by each product, as well as to the issues of product consistency (spatial, ther	ous stages of en given to the matic, temporal
Conformance result Date (Publication) Explanation Statement	See the referenced specification Quality assurance follows the ISO9000 st checks (QA breakpoints) during implemer production, assure fitness-for-purpose of target thematic accuracies to be achieved and homogeneity. Quality Assessment: Ti data quality elements considered are: (i) Completeness,	ntation of the production chain, in order to keep persistent control over the vari the end-products and that all quality requirements are fulfilled. Priority has bee by each product, as well as to the issues of product consistency (spatial, ther	ous stages of en given to the matic, temporal


Each of them (excl. the Thematic Accuracy hereafter) forms a section in the QA/QC Procedures.

Source	Imperviousness Density 2009 (raster 20 m), Europe, 3-yearly, Apr. 2018				
Metadata					
File identifier	bd1c6abc-a413-489a-91c7-e2690e01ff0e XML				
Metadata language	English				
Character set	UTF8				
Hierarchy level	Dataset				
Date stamp	2024-02-06T16:45:52.758Z				
Metadata standard name	ISO 19115/19139				
Metadata standard version	1.0				
Metadata author	Organisation name	Individual name	Electronic mail	Website Role	
			address		
	European Environment Agency		sdi@eea.	Point of	

europa.eu

contact

Overviews



Provided by

