

Reference Land Cover in Luangwa 2015-2018 (vector) - version 1, March 2018

This metadata refers to the Land Cover vector data generated over Luangwa (Africa) for 2015 in the framework of the Copernicus Global Land Hot Spot Mapping (C-GL-HSM) contract under the coordination of JRC.

This area of interest is either mapped with the generic 8 classes dichotomus legend (SAF_14_15_lc_a).

The mapped area of interest (AOI) represents a Key Landscape for Conservation area (KLC). The KLC has a total size of 3,5 million ha (35,000 km²) and is in the eastern part of Zambia, at the end of the Great African Rift Valley System. The two National Parks have been established in 1971 and have a combined reported area of 1,368,600 ha (13,686 km²), 905,000 ha for South Luangwa and 463,600 ha for North Luangwa. The parks are within the central Zambezi and southern Miombo woodlands and Zambezi and Mopane woodlands and are characterized by the Luangwa River in the east and the Muchinga Escarpment in the west.

Reference time: 2015 - 2018

Simple

Date (Creation)	2018-03-16
Date (Publication)	2018-03-16
Date (Revision)	2018-03-16
Edition	01.00
Citation identifier	jrc_v_4326_30_m_c-gl-hsm-luangwa_p_2015-2018_v01_r00

Point of contact

No information provided.

Point of contact

No information provided.

Point of contact

No information provided.


Point of contact

No information provided.

Maintenance and update frequency	Not planned
GEMET - INSPIRE themes, version 1.0	<ul style="list-style-type: none"> Human health and safety Land cover
Keywords	
Continents, countries, sea regions of the world.	<ul style="list-style-type: none"> Africa Zambia
Keywords	
GEMET	<ul style="list-style-type: none"> land landscape alteration land use

	<ul style="list-style-type: none"> • landscape • land cover
Spatial scope	<ul style="list-style-type: none"> • Regional
EEA topics	<ul style="list-style-type: none"> • Environmental health impacts • Land use
Temporal resolution	<ul style="list-style-type: none"> • Not planned
Access constraints	Other restrictions
Other constraints	no limitations to public access
Use constraints	Other restrictions
Other constraints	<p>Access to data is based on a principle of full, open and free access as established by the Copernicus data and information policy Regulation (EU) No 1159/2013 of 12 July 2013. This regulation establishes registration and licensing conditions for GMES/Copernicus users.</p> <p>Free, full and open access to this data set is made on the conditions that:</p> <ol style="list-style-type: none"> 1. When distributing or communicating Copernicus dedicated data and Copernicus service information to the public, users shall inform the public of the source of that data and information. 2. Users shall make sure not to convey the impression to the public that the user's activities are officially endorsed by the Union. 3. Where that data or information has been adapted or modified, the user shall clearly state this. 4. The data remain the sole property of the European Union. Any information and data produced in the framework of the action shall be the sole property of the European Union. Any communication and publication by the beneficiary shall acknowledge that the data were produced "with funding by the European Union".
Spatial representation type	Vector
Distance	30 m
Denominator	30000
Language of dataset	English
Character set	UTF8
Topic category	<ul style="list-style-type: none"> • Geoscientific information • Environment • Imagery base maps earth cover

	N		S		E		W
--	---	--	---	--	---	--	---



Begin date	2015-01-01		
End date	2018-12-31		
Additional Information	<p>Temperatures are high throughout the year with a cooler period between May and August. The typical tropical climate is distinguished by a dry season from May until October and a wet season from November to April. Altitude ranges between 482 m in the Luangwa Valley and up to 1687 m along the Muchinga Escarpment.</p> <p>The sparsely inhabited and remote location makes the parks an ideal place for one of Africa's largest concentrations of wildlife.</p> <p>The World Database on Protected Areas (WDPA 2019) has been used in the Copernicus Global Land Hot Spot mapping (C-GL-HSM) contract under the coordination of JRC to obtain statistics on land cover changes inside and outside the protected areas.</p> <p>To see how much of the Key Landscapes for Conservation area is a Protected Area, consult the WMS service found at the Service section of this metadata.</p>		
Coordinate reference system identifier	EPSG:4326		
Distribution format	<ul style="list-style-type: none"> SHP (1.0) 		
OnLine resource	Protocol WWW:URL WWW:LINK-1.0-http--link OGC:WMS WWW:DOWNLOAD-1.0-http--download WWW:DOWNLOAD-1.0-http--download WWW:URL OGC:WMS	Linkage https://land.copernicus.eu/en/products/clcc-hot-spots/present_land_cover#download https://land.copernicus.eu/global/hsm https://geospatial.jrc.ec.europa.eu/geoserver/hotspots/wms https://land.copernicus.eu/en/technical-library/luangwa-klc-area-report-file-2000-2013-2015/@@download/file https://land.copernicus.eu/en/technical-library/luangwa-klc-area-validation-file-2000-2013-2015/@@download/file https://land.copernicus.eu/en/products/clcc-hot-spots/satellite_images https://geospatial.jrc.ec.europa.eu/geoserver/hotspots/wms	Name Luangwa – Dichotomous Reference Land Cover HotSpot Land Cover Change Explorer all_present_lc_a_pol Report file for download Validation file for download Satellite images protected_areas

OnLine resource

No information provided.

Hierarchy level	Dataset
Conformance result	
Date (Publication)	2010-12-08
Explanation	See the referenced specification
Pass	Yes
Statement	<p>e-GEOS Production Site produced this product by satellite analyses in the context of the Copernicus Global land Hot Spot Mapping (C-GL-HSM) framework.</p> <p>Data and products are based on medium to high and very high resolution satellite images (from approximately 1 to 30m spatial resolution) with a change assessment frequency between 1 to 20 years. The Image data sources used for mapping are Landsat 7 and 8. The validation process made use of Spot-6 and Sentinel-2 images as reference data.</p> <p>Images temporal range: 2014-2018</p> <p>It is the time frame that has been accepted to collect the satellite images useful to produces the vector data.</p> <p>The Reference year is included in this time frame and correspond to mean year considering all the image's year used. It is the year on which the majority of the used images are.</p> <p>The classification scheme follows the Land Cover Classification System (LCCS) developed by the United Nations Food and Agriculture Organization (FAO).</p> <p>Since LCCS is a hierarchical system, the modular legend can be aggregated to the dichotomus legend.</p> <p>The FAO LCCS handbook which describes each class in detail, can be downloaded here: http://www.fao.org/3/a-i5232e.pdf</p> <p>This LCCS Land Cover map includes the following land cover classes (associated raster code in []):</p> <p>A11 - Cultivated and Managed Terrestrial Area(s) [3]</p> <p>A12 - Natural And Semi-Natural Primarily Terrestrial Vegetation [4]</p> <p>A23 - Cultivated Aquatic or Regularly Flooded Area(s) [6]</p> <p>A24 - Natural And Semi-Natural Aquatic or Regularly Flooded Vegetation [7]</p> <p>B15 - Artificial Surfaces and Associated Area(s) [0]</p> <p>B16 - Bare Area(s) [11]</p> <p>B27 - Artificial Waterbodies, Snow and Ice [13]</p> <p>B28 - Natural Waterbodies, Snow and Ice [14]</p> <p>The produced and independently validated Land Cover and Land Cover Change maps and statistics are available to global users.</p> <p>The report and the validation file can be downloaded from the link section.</p> <p>Basic image processing: Cloud/Shadow masking, Data Selction (based on occlusion and sesonality considerations), Atmospheric correction (TOA) of satellite data, Coregistration.</p> <p>Automatic classification: Feature extraction from Dense Multitemporal Time Series (D MTS), statistics generation, automatic classifaciton (ROI based or decision tree) and labeling according to the required output LCCS legend schema.</p> <p>Visual inspection and refiment: check and refinement of the LCCS product generated through the automatic procedure in order to corrected classification errors and to refine borders where necessary.</p> <p>Internal validation: independent validation of the LCCS product based on external reference data (where available) and on other datasets for intercomparison. The scope of the internal validation is to make a qualitative and quantitavie check of the declared Thematic and Positional accuracies.</p>


Metadata

File identifier	fb7e8293-dea3-41f4-b901-6d1507b4e705 XML
Metadata language	English
Character set	UTF8
Hierarchy level	Dataset
Date stamp	2023-12-19T10:43:38.889Z
Metadata standard name	ISO 19115/19139
Metadata standard version	1.0

Metadata author

No information provided.

Overviews



Provided by

